

Q

日本語

中文

🖥 Members Area

Members List

Board	
Broadcom Inc.	Lenovo
Cisco	NetApp
Dell Technologies	Positivo Tecnologia S.A.
Hewlett Packard Enterprise	Verizon
Intel Corporation	
Leadership	
Advanced Micro Devices	Inspur
Alibaba (China) Co., Ltd	NVIDIA Corporation
Daten Tecnologia Ltda	Seagate Technology
Ericsson AB	Supermicro
Google LLC	Vertiv
HP, Inc	VMware Inc.
Huawei	xFusion Digital Technologies Co., Ltd.
IBM	

Participation

AdaCore SAS	Meta
American Megatrends, Inc.	Microchip Technology Inc.
Ampere Computing LLC	Micron Technology, Inc.
ARM, Inc	MULTILASER INDUSTRIAL S/A
Atos	Phoenix Technologies Ltd.
Cornelis Networks, Inc.	Qualcomm Inc
Eaton	Quanta Computer Inc
Fujitsu	Realtek Semiconductor
Futurewei	Solidigm
Groq	Synopsys
Jabil	US Department of Defense
KIOXIA Corporation	VIA Technologies, Inc.
LOGIN INFORMATICA	Western Digital Technologies, Inc.
Loongson Technology Corporation Limited	Xilinx Inc
Marvell Asia Pte, Ltd.	ZT Systems

All	About DMTF
Fr	equently Asked Questions
Me	embers List
DN	MTF Officers
	All DMTF Officers
	DMTF Executive Biographies
DI	MTF Officer Hall of Fame
DN	ATF Fellows
DN	MTF Star Award Recipients
	All Star Award Recipients
	Super Star Award Recipients
W	orking Groups and Committees
All	iance Partners
Ac	ademic Alliances
A١	ISI/ISO Adoptions and Alliance Activities
Pc	licies
Pa	tent Disclosures
Сс	ppyright Statement
Сс	ontact Us
	DMTF Board Member Companies

Alliance Partner

See all DMTF Member Companies »

Learn more: Current Work Registers

ASHRAE	Open Data Center Committee (ODCC)
Broadband Forum (BBF)	Open Fabrics Alliance (OFA)
China Communications Standards Association	Open Grid Forum
China Electronics Standardization Institute (CESI)	OpenStack Foundation
CXL Consortium	PCI Industrial Computer Manufacturer Group (PICMG)
ETSI-NFV	PCI-SIG
Gen-Z	Storage Networking Industry Association
HDBaseT	TeleManagement Forum
MIPI Alliance	The Green Grid
NVM Express	The Open Group
OMG-Cloud Working Group	Unified Extensible Firmware Interface
Open Compute Project (OCP)	

Academic Alliance

"Gheorghe Asachi" Technical University of Iaşi	Research Center on Scientific and Technical Information
Athens University of Economics and Business	(CERIST)
Dongguk University	Ruprecht-Karls-University Heidelberg
Federal Institute of Technology of Espirito Santo	Shanghai Jiao Tong University
George Mason University	Swami Rama Himalayan University
Hungarian Academy Of Sciences Institute For Computer	Technische Universitaet Dresden
Science And Control	Texas Tech University
Indian Institute of Technology Roorkee	Universidade de Sao Paulo
Institute of Information Security (IISEC)	University of California
Kasetsart University	University of New Hampshire
Logitrain	University of Pisa - Italy
Marshall University	University of Seville
National Technical University of Athens	University of Sydney
Paul Sabatier University	University of Western Ontario
	University of Wuerzburg

CIM Forum Leadership

Advanced Micro Devices	Dell Technologies
Broadcom Inc.	
CIM Forum Participatory	

HP, Inc	Realtek Semiconductor
Lenovo	Western Digital Technologies,

Redfish Forum Promoter

Cisco Dell Technologies es, Inc.

Intel Corporation

Lenovo

Ericsson AB	Supermicro
Hewlett Packard Enterprise	Verizon
IBM	Vertiv
Inspur	VMware Inc.
Redfish Forum Supporter	
Advanced Micro Devices	KIOXIA Corporation
Alibaba (China) Co., Ltd	Meta
American Megatrends, Inc.	Microchip Technology Inc.
ARM, Inc	NetApp
Eaton	NVIDIA Corporation
Fujitsu	Phoenix Technologies Ltd.
Google LLC	Quanta Computer Inc
Huawei	Seagate Technology
Jabil	Xilinx Inc

Copyright $\ensuremath{\textcircled{C}}$ 2022 DMTF. All rights reserved.

Newsletter Sign-Up 🗹 YouTube 💟 Follow DMTF on Twitter in LinkedIn



Private product ID:	14194778660326778
Shared product ID:	401690536
Submission ID:	1152921505697481764
Submission date:	3/12/2024
Completion date:	3/12/2024
Company:	Lenovo
Product name:	ThinkPad E14 Gen 6 AMD Win11
Category:	System
Product type:	Laptop with Touch
Qualification level:	Certified for Microsoft Windows 11 Client family version 22H2, x64
Marketing name:	ThinkPad E14 Gen 6 21M3 ThinkPad E14 Gen 6 21M4

CERTIFICATE

Certificate Number: 111969.00 With Two Page Addendum

The Quality Management System and implementation of:

Lenovo Group, LTD

With Central Functions At: 8001 Development Drive Morrisville, NC 27560 **United States**

meets the requirements of the standard:

ISO 9001:2015

Scope:

Design, development, manufacturing, distribution, fulfillment, and repair of computer products and devices, data center products, mobile devices, smart devices, and accessories.

Certification Structure: Multi-site

Certificate Expires: Certificate Issued: Certified Since:

June 30, 2025 July 01, 2022 July 01, 2016

Dr. Cem O. Onus Managing Director DEKRA Certification, Inc. 1120 Welsh Road, Suite 210 North Wales, PA 19454 USA (215) 997-4519 http://www.dekra.us/en/audit





CERTIFICATE ADDENDUM

Certificate Number: 111969.00 ADDENDUM Page One of Two

The Quality Management System and implementation of:

Lenovo Group, LTD

meets the requirements of the standard:

ISO 9001:2015

Site Address	Scope Per Site:
Central Function: 8001 Development Drive; Morrisville, NC 27560 USA	Responsibility of the company's overall QMS through the management of documentation/changes, management review, corrective actions, internal audit, planning/evaluation and compliance to applicable requirements.
8001 Development Drive; Morrisville, NC 27560 USA	Design, development, fulfillment, services, marketing, and sales of computer products and devices, data center products, mobile devices, smart devices, and accessories.
19/1A, & 2A Edayar, Cuddalore Main Road, Édayar Palayam Village – Pondicherry, India	Manufacturing of computer products and devices.
Plant #1: Boulevard Escobedo No 316, Apodaca Technology Park, Apodaca, Nuevo Leon C.P. 66600 Plant #2: Boulevard Escobedo No 318, Apodaca Technology Park, Apodaca, Nuevo Leon C.P. 66627	Manufacturing of computer products and devices, and data center products.
Estrada Municipal José Costa de Mesquita, 200- Chácara Alvorada - Indaiatuba/SP, Brazil	Manufacturing of computer products and devices, and data center products.

Certificate Expires:June 30, 2029Certificate Issued:July 01, 2022Certified Since:July 01, 2016

Dr. Cem O. Onus Managing Director DEKRA Certification, Inc. 1120 Welsh Road, Suite 210 North Wales, PA 19454 USA (215) 997-4519 http://www.dekra.us/en/audit





CERTIFICATE ADDENDUM

Certificate Number: 111969.00 ADDENDUM Page Two of Two

The Quality Management System and implementation of:

Lenovo Group, LTD

meets the requirements of the standard:

ISO 9001:2015

Site Address	Scope Per Site:
6540 Franz Warner Parkway; Whitsett, NC 27377 USA	Manufacturing, distribution, fulfillment and services of computer products and devices, data center products, mobile devices, smart devices, and accessories.
Digital Park, Einsteinova 851 01; Bratislava, Slovakia	Fulfillment, services, marketing, and sales of computer products and devices, data center products, mobile devices, smart devices, and accessories.
Minatomiral Center Building; 2F 3-6-1; Minatomiral, Nishi-Ku; Yokohama, Japan	Design and development of computer products and devices.
Motorola Mobility LLC: 222 W Merchandise Mart Plaza, Chicago, IL 60654 USA	Design, development, fulfillment, services, marketing, and sales of computer products and devices, data center/products, mobile devices, smart devices, and accessories.
K-Sped krt. 28, Ullo, 2225/Hungary	Manufacturing of computer products and devices, and data center products.
C/Puerto de Somport 9 Planta 1 (Ed. Oxxeo) - 28050 Madrid Spain	Fulfillment, services, marketing, and sales of computer products and devices, data center products, mobile devices, smart devices, and accessories.
Sants FirstWorkplace Carrer de Tarragona 161, planta 13. 08014 Barcelona, Spain	Fulfillment, services, marketing, and sales of computer products and devices, data center products, mobile devices, smart devices, and accessories.

Certificate Expires: Certificate Issued: Certified Since:

June 30, 2025 July 01, 2022 July 01, 2016

Dr. Cem O. Onus Managing Director DEKRA Certification, Inc. 1120 Welsh Road, Suite 210 North Wales, PA 19454 USA (215) 997-4519 <u>http://www.dekra.us/en/audit</u>














K RETURN TO SEARCH



COMPUTERS & DISPLAYS

ThinkPad E14 Gen 6 (AMD)

Product Summary:

Product Type:	Notebook
Registered In:	United States
Manufacturer:	Lenovo
EPEAT Tier:	Gold
Registration Date:	2024-04-01
Product Status:	Active
Manufacturer Part Number(s):	21M3, 21M4

All unique product identifiers existing for this product may not be listed here. If the unique product identifier you are looking for is not listed, please contact EPEAT at EPEAT@GEC.org.

EXPORT PRODUCT SUMMARY

EPEAT Tier Score Detail

For a product to be listed on the EPEAT Registry, it must, at a minimum, meet the applicable "required" criteria. Click here to see a list of the required criteria for this product category.

This product has met the necessary required criteria.

Along with required criteria, products can also meet optional criteria and score optional points. It is not required for a product to achieve any optional points.

Products that meet all required criteria and achieve less than 50% of the optional points are rated at EPEAT Bronze Products that meet all required criteria and achieve **50 - 74%** of the optional points are rated at **EPEAT Silver** Products that meet all required criteria and achieve **75 - 100%** of the optional points are rated at **EPEAT Gold**

The optional criteria for this product category and optional points achieved by this product are listed below.

	Optional Criteria	Scores
+	4.1 Substance Management	13 / 16
+	4.2 Materials Selection	1/3
+	4.4 Product longevity/life-cycle extension	4/4

· +	4.5 Energy Conservation	3 / 3	
<u> </u>	4.7 Packaging	2 / 2	
+	4.8 Life cycle assessment and carbon footprint	6/6	
+	4.9 Corporate Environmental Performance	9/9	
+	4.10 Corporate social responsibility	2/6	
	TOTAL OPTIONAL CRITERIA SCORE:	40 / 49	

Please note that it is not required for a product to achieve any optional points. Some optional criteria may not be applicable to a product. Optional criteria that are not applicable (N/A) to the product are not included in the Total Optional Criteria Score, and are not reflected above.

For any questions, comments, or feedback regarding the EPEAT Registry, please contact us.



Contact Us

+1.503.279.9383

PO Box 12149 Portland, OR 97212-0149 USA

Stay connected with regular updates from EPEAT

Sign up

 $\ensuremath{\mathbb{C}}$ 2024 Green Electronics Council dba Global Electronics Council. All rights reserved.

EPEAT Registry Privacy Policy

EPEAT Registry Terms of Use

CERTIFICATE

Certificate Number: 141968.00 With One Page Addendum

The Environmental Management System and implementation of:

Lenovo Group, LTD

With Central Functions At: 8001 Development Drive Morrisville, NC 27560 United States

meets the requirements of the standard:

ISO 14001:2015

Scope:

Design, development, manufacturing, distribution, fulfillment, and repair of computer products and devices, data center products, mobile devices, smart devices, and accessories.

Certification Structure: Multi-site

July 16, 2025
July 17, 2022
July 17, 2013

Dr. Cem O. Onus Managing Director

DEKRA Certification, Inc. 1120 Welsh Road, Suite 210 North Wales, PA 19454 USA (215) 997-4519 <u>http://www.dekra.us/en/audit</u>





CERTIFICATE ADDENDUM

Certificate Number: 141968.00 ADDENDUM Page One of One

The Environmental Management System and implementation of:

Lenovo Group, LTD

meets the requirements of the standard:

ISO 14001:2015

Site Address	Scope Per Site:
Central Function: 8001 Development Drive; Morrisville, NC 27560 USA	Responsibility of the company's overall EMS through the management of documentation/changes, management review, corrective actions, internal audit, planning/evaluation and compliance to applicable requirements.
8001 Development Drive; Morrisville, NC 27560 USA	Design and development of data center products
19/1A, & 2A Edayar, Cuddalore Main Road, Edayar Palayam Village – Pondicherry, India	Manufacturing of computer products and devices.
Plant #1: Boulevard Escobedo No 316, Apodaca Technology Park, Apodaca, Nuevo Leon C.P. 66600 Plant #2: Boulevard Escobedo No 318, Apodaca Technology Park, Apodaca, Nuevo Leon C.P. 66627	Manufacturing of computer products and devices and data center products.
Estrada Municipal José Costa de Mesquita, 200 – Chácara Alvorada – Indaiatuba/SP, Brazil	Manufacturing of computer/products and devices / and data center products.
6540 Franz Warner Parkway; Whitsett, NC 27377/USA	Manufacturing, distribution, fulfillment, and repair of computer products and devices, data center products, mobile devices, smart devices, and accessories.
Am Zehnthof 77, 45307 Essen, Germany	/Design/and/development/of/computer/products/ /and/devices.
Minatomiral Center Building; 2F 3-6-1; Minatomiral, Nishi-Ku; Yokohama, Japan	/Design/and/development/of/computer products/ /and/devices.
Motorola Mobility LLC: 222 W Merchandise Mart Plaza, Chicago, IL 60654 USA	/Design and development of computer products /and devices, data center products, mobile devices, /smart devices, and accessories.
K-Sped krt. 28, Ullo, 2225 Hungary	/Manufacturing of computer products and devices /and/data center products.

Certificate Expires: Certificate Issued: Certified Since:

July 16, 2025 July 17, 2022 July 17, 2013

Dr. Cem O. Onus Managing Director

DEKRA Certification, Inc. 1120 Welsh Road, Suite 210 North Wales, PA 19454 USA (215) 997-4519 http://www.dekra.us/en/audit







Lenovo - ThinkPad E14 Gen 6 : 21M3

Specifications	
ENERGY STAR Unique ID:	3417643
Brand Name:	Lenovo
Model Name:	ThinkPad E14 Gen 6
Model Number:	21M3
Туре:	Notebook
Category 2: Processor Brand:	AMD
Category 2: Processor Name:	Ryzen 7
Category 2: Base Processor Speed Per Core (GHz):	3.2
Category 2: Physical CPU Cores (count):	8
Category 2: System Memory (GB):	64.0
Category 2: Default Low-power Mode:	Alternative Low Power Mode (ALPM)
Category 2: Long Idle Power Used for Sleep Mode:	Yes
Category 2: Off Mode (watts):	0.4
Category 2: Sleep Mode (watts):	0.8
Category 2: Long Idle (watts):	0.8
Category 2: Short Idle (watts):	4.6
Category 2: Base TEC Allowance (kWh):	14
Category 2: Functional Adder Allowances (kWh):	33.4
Category 2: TEC of Model (kWh):	14.3
Notebooks, Desktops, Integrated Computers, Slate/Tablets, Two-in-one Notebooks, and Portable All-in-ones Category for TEC (Typical Energy Consumption) Criteria:	2
Category 2: Operating System Name:	Windows 11 Pro
Sleep Mode Default Time Upon Shipment (min.):	5
Display Sleep Mode Default Time Upon Shipment (min.):	5
WOL (Wake on LAN) From Sleep:	Shipped Disabled
Will the Speed of Any Active 1 GB/s or Higher Ethernet Network Links be Reduced to Less Than 1 GB/s When Transitioning to Sleep or Off Mode?:	Yes
Ethernet Capability:	Yes
· · · · · · · · · · · · · · · · · · ·	

Touch Screen:	Yes
Date Available On Market:	1710820800000
Date Certified:	1709182800000
Markets:	United States, Switzerland, Taiwan, Japan, Canada
ENERGY STAR Certified:	Yes

Additional Model Information

ThinkPad E14 Gen 6,21M4,All models are identical except for model number for marketing purpose.

Captured On: 05/27/2024

Certificate CN19/31787.06

Lenovo Tecnologia (Brazil) Ltd.

Business Registration Address: ESTRADA MUNICIPAL JOSÉ COSTA DE MESQUITA, 200-BAIRRO CHÁCARA ALVORADA-MODULES 5 TO 10-INDAIATUBA / SP BRAZIL – ZIP CODE: 13.337-200 Brasil Business Operation Address: ESTRADA MUNICIPAL JOSÉ COSTA DE MESQUITA, 200-BAIRRO CHÁCARA ALVORADA-MODULES 5 TO 10-INDAIATUBA / SP BRAZIL – ZIP CODE: 13.337-200 Brasil

Has been assessed under the management system of the certified organisation defined in the main certificate CN19/31787.00 as meeting the requirements of

ISO 45001:2018

For the following activities

Manufacture of Computer Products and Servers.

This certificate is valid from 28 October 2022 until 27 October 2025 and remains valid subject to satisfactory surveillance audits. Issue 2.

The validity of this certificate depends on the validity of the main certificate.

) onething M. Hell

Authorised by Jonathan Hall Global Head - Certification Services

SGS United Kingdom Ltd Rossmore Business Park, Ellesmere Port, Cheshire, CH65 3EN, UK t +44 (0)151 350-6666 - www.sgs.com







This document is an authentic electronic certificate for Client' business purposes use only. Printed version of the electronic certificate are permitted and will be considered as a copy. This document is issued by the Company subject to SGS General Conditions of certification services available on Terms and Conditions | SGS. Attention is drawn to the limitation of liability, indemnification and jurisdictional clauses contained therein. This document is copyright protected and any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful.



SG

Lenovo (Singapore) Pte. Ltd. 151 Lorong Chuan, #02-01, New Tech Park, Singapore, 556741 (Tel - 65-6827-1000 & Fax- 65-6827-1100)



EU Declaration of Conformity

For the ThinkPad E14 Gen 6 Notebook Computers Machine Type: 21M3, 21M4 Compliance ID: TP00148D, TP00148D**("*" can be 0-9, a-z, A-Z or blank)

We, Lenovo (Singapore) Pte Ltd, declare under sole responsibility that the above products, manufactured for:

Lenovo PC HK Limited. 23/F, Lincoln House, Taikoo Place 979 King's Road, Quarry Bay, Hong Kong, P.R.China

to which this declaration relates, is in conformity with the requirements of the following EU Directives:

- Directive 2014/53/EU of the European Parliament and of the council on radio equipment.
- Directive 2009/125/EC establishing a framework for the setting of Ecodesign requirements for Energy-related products.
- Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment as amended by Directive 2015/863/EU.

The conformity assessment procedure referred to in Article 17.4a of Directive 2014/53/EU has been followed and performed with the involvement of a Notified Body, in accordance with Article 3.2:

Notified Body Name/number: TIMCO Engineering, Inc./1177 **Issued the EU-type examination certificate:** E1177-243871

The Technical Documentation (TD), relevant to the product described above and which support this DoC is available from the EU contact address on this DoC.

Signed:

Date:20 02 2024

Koh Ser Mein (Director) Place of issue: Lenovo (Singapore) Pte Ltd.

European Contact for regulatory topics only: Lenovo (Slovakia), Landererova 12, 811 09 Bratislava, Slovakia Tel: +421 2 6868 3018 Lenovo (Singapore) Pte. Ltd. 151 Lorong Chuan, #02-01, New Tech Park, Singapore, 556741 (Tel - 65-6827-1000 & Fax- 65-6827-1100)



Standards References

The following harmonized standards and normative documents are those to which the product's conformance is declared, and by specific reference to the essential requirements of the referenced Directives:

RED												
Article 3.1a	EN 62368-1	:	2014 /A11	:2017			1	•				
(Safety & Health)	EN IEC 62368-1	:	2020 /A11	:2020			1	•				
	EN IEC 62311		2020			· · · · · · · · · · · · · · · · · · ·						
	EN 62479	:	2010									
	EN 50663	:	2017									
	EN 50665	:	2017									
	EN 50566	:	2017		/							
	EN 62209-2	:	2010 + A1	:2019		· · · · · · · · · · · · · · · · · · ·						
	EN IEC/IEEE 62209-1528	:	2021									
Article 3.1b	EN 55032	:	2015 + A1	1.2020				,				
(EMC)	EN 61000-3-2	_										
. ,		:		2019 + A1:2021		1						
				2013 + A2:2021 2017 + A11:2020		<i>.</i>						
	EN 55035 :		V2.2.3	2019-11			/ /					
	EN 301 489-1 EN 301 489-3		V2.2.3	2013-11			v					
	EN 301 489-3		V2.3.2 V3.2.4	2023-01			v					
	EN 301 489-17 EN 301 489-19		V3.2.4 V2.1.1	2019-04	· · · · · · · · · · · · · · · · · · ·							
	EN 301 489-19 EN 301 489-52		V1.2.1	2013-04								
					WLAN with	WLAN with	Wireless mo WLAN with	WLAN with				
			1		Bluetooth 1	Bluetooth 2	Bluetooth 3	Bluetooth 4				
Article 3.2 (Radio Spectrum)	EN 300 328		V2.2.2	2019-07	✓	~	~	<i>✓</i>				
	EN 301 893		V2.1.1	2017-05	✓	1	1	<i>✓</i>				
	EN 300 440		V2.1.1	2017-03	✓	~	~	<i>✓</i>				
	EN 300 440		V2.2.1	2018-07	✓	1	1	<i>✓</i>				
	EN 303 687		V1.1.1	2023-06	✓	1						
	EN 301 908-1		V15.1.1	2021-09								
	EN 301 908-2		V13.1.1	2020-06								
	EN 301 908-13		V13.2.1	2022-02								
	EN 303 413		V1.2.1	2021-04								
	EN 300 330		V2.1.1	2017-02								
RoHS Directive	EN 50581:2012	EN II	EC 63000:20	18				,				
ErP Directive	(EU) 2019/1782	(Lot	7)				1	,				
	EC 1275/2008 (Lot 6/26) EN 50564:2011					1						
	EC 617/2013 ErP EN 50564:2013											

European Contact for regulatory topics only: Lenovo (Slovakia), Landererova 12, 811 09 Bratislava, Slovakia Tel: +421 2 6868 3018



ANNEX

Wireless modules and External AC Adapters

Wireless module inside	MODEL
WLAN with Bluetooth 1	MT7922A22M
WLAN with Bluetooth 2	RTL8852CE
WLAN with Bluetooth 3	RTL8852BE
WLAN with Bluetooth 4	MT7921

Description	MODEL
	ADLX65YDC2E
	ADLX65YLC2E
	ADLX65YCC2E
	ADLX65YAC2E
External AC Adapter	ADLX65YDC3E
	ADLX65YLC3E
	ADLX65YCC3E
	ADLX65YAC3E

European Contact for regulatory topics only: Lenovo (Slovakia), Landererova 12, 811 09 Bratislava, Slovakia Tel: +421 2 6868 3018



Annex B2 - Product environmental attributes Computers and computer monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (N/A for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo	
Company name *	Lenovo		
Contact information *	Lenovo Environmental Social and Governance		Lenovo
e-mail address	environment@lenovo.com		
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/		
Additional information	The latest version of this document can be found at:		
	http://www.lenovo.com/ecodeclaration		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Notebook Computer				
Commercial name *	ThinkPad E14 Gen 6 AMD				
Model number *	21M3, 21M4				
Issue date *	2024-03-01				
Intended market *	🛛 Global 🔲 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other				
Additional information	Energy Star8.0, EPEAT, TCO				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model nu	umber *	21M3, 21M4 Logo			_
lssue da	te *	2024-03-01	enc	N	O
	environn	nental attributes - Legal requirements	Require		
tem			Yes	No	N/A
P1		us substances and preparations			
P1.1*		comply with current European RoHS Directive. (See legal reference and NOTE B1)	\square		
P1.2*	Commer	do not contain Asbestos (See legal reference) it: Legal reference has no maximum concentration value.			
P1.3*	hydrobro trichloroe	do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), mofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- ethane, methyl bromide (See legal reference). Comment: Legal reference has no maximum ation values			
P1.4*	Products terpheny	do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated I (PCT) in preparations (See legal reference)	\boxtimes		
P1.5*	Products the chair	do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in a containing at least 48% per mass of chlorine in the SCCP (See legal reference)	\square		
P1.6*	(See leg	h direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/we al reference) it: Max limit in legal reference when tested according to EN1811:2011-5	ek		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail contact): //ww.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	\boxtimes		
P2	Batterie	S			
P2.1*	symbol.	duct contains a battery or an accumulator, the battery/accumulator is labeled with the disposal Information on proper disposal is provided in user manual. (See legal reference)	\boxtimes		
P2.2*	Batteries	or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See leg	al 🖂		
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)	\square		
P2.4*	Docume	ntation includes the number of cycles the (secondary) battery can withstand. (See legal reference	e) 🔀		
P2.5*		ernal batteries of a notebook computer cannot be "accessed and replaced by a nonprofessional e related text is present and legible on the external packaging (See legal reference)			
P3		hity verification & Eco design (ErP)			
P3.1*	The proc The Dec <u>https://v</u>	luct is CE-marked to show conformance with applicable legal requirements (see legal reference). laration of Conformity can be requested at (add link or e-mail address): <u>www.lenovo.com/us/en/compliance/eu-doc</u> for EU www.lenovo.com/us/en/compliance/uk-doc for UK			
P3.2*	The proc	uct complies with the applicable Eco design requirements for energy-related products, al reference)	\boxtimes		
	. 0	l information is;			
P5	Product	packaging			
P5.1*	Packagir	ig and packaging components do not contain more than 0,01% lead, mercury, cadmium and nt chromium by weight of these together			
P5.2*	The pack	aging materials are marked with abbreviations and numbers indicating the nature of the s) used (See legal reference)	\boxtimes		
P5.3*	The proc Protocol	Uct packaging material is free from ozone depleting substances as specified in the Montreal (See legal reference) It: Legal reference has no maximum concentration values			
P6	Treatme	nt information			
P6.1*	Informati	on for recyclers/treatment facilities is available (<u>https://lenovo.com/recycling</u>).	\boxtimes		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model n	number *	21M3, 21M4		Logo			
lssue da	ate *	2024-03-01			Ler	0	VO
Produc	- Envir	onmental conscious d			Require	ment	met
Item	*=mand	atory to fill in. Additional inf	formation regarding each item may b	be found under P14.	Yes	No	N/A
P7	Design						
		mbly, recycling					
P7.1*			rately are easily separable			<u> </u>	<u> </u>
P7.2*		naterials in covers/housing	· · · · · ·			\square	
P7.3*	Plastic p	arts > 100 g consist of one	e material or of easily separable mat	erials	\square		
P7.4*	Plastic p	arts > 25 g have material o	codes according to ISO 11469 referr	ring ISO 1043-4	\boxtimes		
P7.5	Plastic p	arts are free from metal in	lays or have inlays that can be remo	oved with commonly available tools	\square		
P7.6*	Labels a	re easily separable (This r	equirement does not apply to safety	/regulatory labels)			
	Product	lifetime			<u> </u>		
P7.7*	Upgradi	ng can be done e.g. with p	rocessor, memory, cards or drives		\square		
P7.8*	Upgradi	ng can be done using com	monly available tools			Ē	
P7.9	Spare p	arts are available after end	of production for: 5 years				Ē
P7.10		is available after end of pro					H
		and substance requiren	,				
P7.11*			e (e.g. plastics, metal, aluminum):				
		type: PC+ABS	Material type: <i>Aluminium</i>	Material type:			
	Material	51	Material type:	Material type:			
	Material	type:	Material type:	Material type:			
P7.12	Insulatio	n materials of external ele	ctrical cables are PVC free			\boxtimes	
P7.13	Insulatio	n materials of internal elec	trical cables are PVC free		\boxtimes		
P7.14	weight (polyviny containi	1000 ppm) chlorine attribut I chloride or 0,3% weight (ng more than 25% post-co	table to brominated flame retardants 3000 ppm) bromine and 0,3% weigh nsumer recycled content	t (3000 ppm) chlorine in parts	6		
P7.15	NOTE B	2): Only PCBs > 25g 📃 (out components) are low halogen as or All PCBs 🔀		\square		
P7.16	Flame re Marking	etarded plastic parts > 25 g : FR(40)	in covers / housings are marked ac	-	\boxtimes		
P7.17			ame retardants in printed circuit boa active) 🗌 (See NOTE B3), Other; c	rds > 25 g (without components): hemical name: <i>DOPO</i> , CAS #: 3594	8- 🖂		
		hemical specifications of flangtion of flangting to ISO 1043-4:	ame retardants in printed circuit boa	rds (without components) > 25 g			
P7.18	concent 1. Chem 2. Chem	rations above 0,1%: iical name: , CAS #: iical name: , CAS #:	(See NOTE B4)	etardant substances/preparations in			
		ical name: , CAS #: hemical specifications of fla	ame retardants in plastic parts > 25	a according to ISO 1043-4. FR(40)	\boxtimes		
P7.19	In plastic assigne	c parts > 25 g, flame retard d the following Risk phrase	lant substances/preparations above	0,1% are used which have been			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model nu	mber *	21M3, 21M4				Logo			
Issue dat	e *	2024-03-01					.er	0	VO
Product	environr	mental attributes - Ma	rket requirem	nents (continu	ied)		Requi	reme	nt met
Item			-				Yes	No	N/A
	Material	and substance require	ments (continu	ed)					
 P7.20* Postconsumer recycled plastic m If YES; at least one of the two alter a) Of total plastic parts' weight a percentage of total plastic b) The weight of recycled mater 			ernatives below s > 25 g, the posto by weight) is <i>10</i> .	shall be answere consumer recycl	ed;	,			
P7.21*	If YES; a a) Of t tota b) The	d plastic material content at least one of the two alte total plastic parts' weight al plastic by weight) is e weight of the biobased p	ernatives below s > 25 g, the bioba %. or blastic material is	shall be answere ased plastic mate s g	ed;	ulated as a percentage of			
P7.22*		urces are free from mercu ry is used specify: Numbe			n mercury conten	t per lamp: mg	\square		
P7.23*	If produc	ct includes an integral dis	play, the total me	ercury content in	the integrated d	splay: 0.0 mg		\boxtimes	
P8	Batterie								
P8.1*	Battery of	chemical composition: LI-	ION battery						
P9	Energy	consumption (See NOT	E B8)						
P9.1	For the p	product the following pow	er levels or ener	gy consumptions	s are reported:				
Energy mode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for modes and test method				
Peak (On	-Max)		65 W	65 W	65 W	Full Load			
Device C									
		VOL Enabled (P _{short_idle})	4.7340 W	4.5756 W	4.8204 W	ENERGY STAR Comp			
		VOL Enabled (P _{long_idle})	0.7272 W	0.7824 W	0.7824 W	ENERGY STAR Comp			
Sleep (S3	3) — WOL L	Disabled (P _{Sleep})	0.7272 W	0.7824 W	0.7824 W	ENERGY STAR Comp	uters V8	0	
		OL Disabled (P _{off})	0.3984 W	0.3996 W	0.4344 W	ENERGY STAR Comp	uters V8.	0	
	power sup	ply / charger plugged in sconnected from the	0.06 W	0.06 W	0.08 W				
ETEC * Annual Er		Cat 1:	kWh/year	kWh/year	kWh/year	Mode Weighting Full Capability			
Consumption Cat 2: Typical:		Cat 2:	14.4250 kWh/year	14.3226 kWh/year	14.9349 kWh/year				
		Typical:	kWh/year	kWh/year	kWh/year				
External F	ower Sup	ply Efficiency Level (Inter	national Efficiend	cy Marking Proto	ocol) * : VI	International Efficienc Protocol (IEMP) for Ex Supplies			
Display re	solution *	: 3.136 megapixels							
Default tin	ne to enter	^r energy save mode: <mark>5</mark> mi	nutes			ENERGY STAR Comp	uters V8.	0	
P9.2*	Informat	ion about the energy save	e function is prov	vided with the pro	oduct	1	\square		
P9.3 Energy efficiency class (monitors			only):						

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	21M3, 21M4	Logo	
Issue date *	2024-03-01		Lenovo

		l attributes - Market re	qui onicito (oci	linaoa,		Yes		me N/A
Item	Fuelestere					res	No	IN//
P10	Emissions Noise emission	n – Declared according to	USO 0206 (See NO	TE BO				
P10.1	Mode	Mode description	130 9290 (366 110		I upper limit A-weighted sound p	ower level		
10.1	Mode			$L_{WA,c}$ (B)		Jower level,		
	Idle	* Idle Mode		* 2.6				
	Operation	* Operating (SSD/HDD)	* NA				
		* Operating (CPU)		* 3.4				ш
	Other Mode	Declared A-weighted sound	d pressure level (dB)	14.9 (op	perator position – idle)			
	Other mode	erator position – operating-HDD/S perator position – operating-CPU)	SD)					
		Measured according to: X ISO 7779 ECMA-74 Other (only if not covered by ECMA-74)						
	Electromagne							
P10.4	program(s): M	PR-II(3 pin AC adapter or		ectromagnetic	; fields of the following voluntary			
P12		or computing products	1 (100 0011)		<u> </u>			
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies						╧	
P12.2*	The physical in	put device meets the requ	irements of ISO 999	5 and ISO 924	41-410		\boxtimes	
P13		d documentation						
P13.1*	Product packa Product packa Product packa Product packa Product packa	ging material type(s): Corr ging material type(s): Bam ging material type(s): from ging material type(s): ging material type(s): ging material type(s):	boo molded pulp offset / recycled s weight (kg weight (kg weight (kg	weight (kg): 0. ource weig):):):	ght (kg): <i>0.420 .088</i> ght (kg): <i>0.0077</i>			
		ging material type(s):	weight (kg):				
P13.2*	-	primary packaging is free				\boxtimes		
P13.3*	consumer reco	vered fiber content: 80 %			I percentage of minimum post-			
P13.4*		for user and product docur Paper 🔀, Other 🗌	mentation (tick box):					
P13.5		omplete this item if paper d uct documentation on pape specify:						
	Totally chlorine	-free				\boxtimes		
	Elemental chlo	rine-free				\square		
	Processed chlo	prine-free						
P14	Voluntary pro	grams						
P14.1		eets the requirements of the	ne following voluntar	y program(s):				
	Choose ESTA Eco-label: EPE Eco-label: TCC		sion: 1680.1-2018	Date: Date: Date:	Product category: 2 Product category: Noteb Product category: Noteb			
P15	Additional info	ormation (See NOTE B10						
P9		mption of computer prod		of the tested	product configuration:			
P7.7					onents can be upgraded:			
P7.8	Processor Memory Cards	U U	pgradeable with sp pgradeable using o pgradeable using o	oecial tools common tool	s			
	Drives/Storag							
	Drives/Storage Upgradeable using common tools NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided base supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Let Account Representative for more information.						based	l on

NOTE B9 A Guidance document on Acoustic Noise is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive)* * Specific exemptions apply for certain products and applications.	P1.1, P3.1
Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2.3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers	P2.4, P2.5, P3.1, P3.2, P7.23, P9.1
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	

Lenovo ErP Lot26 Information Sheet - Network Equipment -

As required by_

- Commission Regulation (EC) No 1275/2008 of 17 December 2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off-mode electric power consumption of electrical and electronic household equipment (ErP Lot 6)
- Commission Regulation (EU) No 801/2013 of 22 August 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for (ErP Lot 26).

Products scope of this sheet:

Notebook/Tablet Computer < 6 W Idle

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ThinkPad E14 Gen 6 AMD	Logo
Model Number	21M3, 21M4	
Product Type	Notebook Computer with Idle Power <6W	Lenovo
Issue Date	2024-03-01	
Additional information		

year of manufacture:		2024
Product uses a low voltage externation	al power supply. Only Section (5) is comple	ted.
Network Standby Classification	LoNA Equipment	
Off Mode Power (Watts)	0.4 Watts	
Standby Mode	Watts	Mode Not Applicable
	minutes Def	ault Delay Time
Description of how to enable Net	twork Standby Mode Network Standby M	<i>Node is enable at shipment</i>
Description of how to manually er	nter Network Standby 1) Click on the Pov	ver Button and choose Sleep
Mode	2) Press the Power	Button once
Default Delay time to Network St	andby Mode 5.0 minutes	
Reactivation Function from Netw	ork Standby Mode Open Notebook, P	ress Keyboard or power button

	Network Port	Wired Ethernet	Wireless Ethernet	USB-A	A USB-C	HDMI	BlueTooth	Other:	
	Present in Product								
	Activated at Shipment								
	Active in Network Standby Mode								
	Location of Network Port	Right	N/A	Right	Left	Left	N/A	Left	
	Network Port	0.125	0.2 GB/s	0.63	1.2 GB/s	6.0 GB/s	0.000360	0.6 GB/s	
	Maximum Performance	GB/s		GB/s			GB/s		
	Network Protocol	IEEE 802.3	Wi-Fi 6E;	USB 3.2	Туре С 3.2	HDMI 2.1	BT 5.0	USB 3.2	
			802.11ax						
	Network Standby Mode Power	0.7 Watts	0.7 Watts	Watts	Watts	Watts	0.7 Watts	Watt	
	Network Standby Power – All Connections				0.7 Watts				
	Test parameters for n ambient temperatu			23 degrees Celsiu	IS				
	test voltage in V an		H ₇		230 V / 50 Hz				
					200 07 00 112				
	total harmonic dist	ortion of the e	lectricity supp	ly system	2.00%				
	total harmonic dist	ortion of the el	lectricity supp	ly system	Equipment	Make/Mode	Date		
	total harmonic dist				Equipment AC Source	Chroma 6	Date 1601 23/0	7/04	
	information and do	ocumentation o	on the instrum		Equipment AC Source Power Analyzer	Chroma 6 Chroma 6	Date 1601 23/0 6205 23/0	7/04 9/08	
		ocumentation o	on the instrum		Equipment AC Source Power Analyzer Timer	Chroma 6 Chroma 6 Chroma 6	Date 1601 23/03 6205 23/03 6205 23/03	7/04 9/08 9/08	
	information and do	ocumentation o	on the instrum		Equipment AC Source Power Analyzer Timer Thermometer	Chroma 6 Chroma 6 Chroma 6 AS106A	Date 1601 23/0 6205 23/0 6205 23/0 23/0 23/0	7/04 9/08 9/08 7/08	
	information and do	ocumentation o used for electr	on the instrum ical testing		Equipment AC Source Power Analyzer Timer	Chroma 6 Chroma 6 Chroma 6	Date 1601 23/0 6205 23/0 6205 23/0 23/0 23/0	7/04 9/08 9/08	
1	information and do set-up and circuits External power supply Model	ocumentation o used for electr y efficiency (if a Output Voltage	on the instrum ical testing pplicable)*: Output Current	Output Power	Equipment AC Source Power Analyzer Timer Thermometer Hygrometer Average Active Efficiency	Chroma 6 Chroma 6 Chroma 6 AS106A AS106A AS106A	Date 1601 23/00 6205 23/00 6205 23/00 23/00 2023 1 No Lo. y Powe	2 7/04 9/08 9/08 7/08 3/07/08 3/07/08 ad er	
	information and do set-up and circuits External power supply Model ADLX65UAGE2A	ocumentation of used for electr y efficiency (if a Output Voltage 20 V	on the instrum ical testing pplicable)*: Output Current 3.25 A	entation, Output Power 65 W	Equipment AC Source Power Analyzer Timer Thermometer Hygrometer Average Active Efficiency 91.70%	Chroma 6 Chroma 6 Chroma 6 AS106A AS106A AS106A 10% Load Efficiency 88.47%	Date 1601 23/00 6205 23/00 6205 23/00 23/00 2023 1 No Lo. y Powe 0.04 \	2 7/04 9/08 9/08 7/08 3/07/08 3/07/08 ad er W	
	information and do set-up and circuits External power supply Model ADLX65UAGE2A ADLX65UCGE2A	ocumentation of used for electr y efficiency (if a Output Voltage 20 V 20 V	on the instrum ical testing pplicable)*: Output Current 3.25 A 3.25 A	Output Power 65 W 65 W	Equipment AC Source Power Analyzer Timer Thermometer Hygrometer Average Active Efficiency 91.70% 91.09%	Chroma 6 Chroma 6 Chroma 6 AS106A AS106A AS106A 10% Load Efficiency 88.47% 89.13%	Date 1601 23/00 6205 23/00 6205 23/00 23/00 2023 1 No Lo. y Powe 0.04 V 0.01 V	2 7/04 9/08 9/08 7/08 3/07/08 3/07/08 ad er W W	
	information and do set-up and circuits External power supply Model ADLX65UAGE2A ADLX65UCGE2A ADLX65UDGE2A	ocumentation of used for electr y efficiency (if a Voltage 20 V 20 V 20 V	on the instrum ical testing pplicable)*: Output Current 3.25 A 3.25 A 3.25 A	Output Power 65 W 65 W 65 W	Equipment AC Source Power Analyzer Timer Thermometer Hygrometer Average Active Efficiency 91.70% 91.09% 91.49%	Chroma 6 Chroma 6 Chroma 6 AS106A AS106A AS106A I 10% Load Efficiency 88.47% 89.13% 86.22%	Date 1601 23/00 6205 23/00 6205 23/00 23/00 2023 1 No Lo. y Powe 0.04 \	ad W W W W W W W W	
	information and do set-up and circuits External power supply Model ADLX65UAGE2A ADLX65UCGE2A	ocumentation of used for electr y efficiency (if a Output Voltage 20 V 20 V	on the instrum ical testing pplicable)*: Output Current 3.25 A 3.25 A	Output Power 65 W 65 W	Equipment AC Source Power Analyzer Timer Thermometer Hygrometer Average Active Efficiency 91.70% 91.09%	Chroma 6 Chroma 6 Chroma 6 AS106A AS106A AS106A 10% Load Efficiency 88.47% 89.13%	Date 1601 23/00 6205 23/00 6205 23/00 23/00 2023 1 No Lo. y Powe 0.04 V 0.01 V 0.06 V	ad er W W W W W	
	information and do set-up and circuits External power supply Model ADLX65UAGE2A ADLX65UDGE2A ADLX65ULGE2A ADLX65YLC3E ADLX65YLC3E	y efficiency (if a Voltage 20 V 20 V	on the instrum ical testing pplicable)*: Output Current 3.25 A 3.25 A 3.25 A 3.25 A 3.25 A 3.25 A 3.25 A	Output Power 65 W 65 W 65 W 65 W 65 W 65 W	Equipment AC Source Power Analyzer Timer Thermometer Hygrometer Average Active Efficiency 91.70% 91.09% 91.49% 90.15% 90.29%	Chroma 6 Chroma 6 Chroma 6 AS106A AS106A AS106A 10% Load Efficiency 88.47% 89.13% 86.22% 83.55% 86.70% 86.21%	Date 1601 23/00 6205 23/00 6205 23/00 23/00 2023 2023 2023 2023 2023 2023 2023 2024 2024 2024 2025 2025 2025 2026 2026 2026 2026 2026 2026 2026 2026 2026 2027 2026 2026 2027 2026 2026 2027 2026 2026 2026 2026 2026 2026 2026 2026 2026 2026 2026 2026 2026 2026 2026 2026 2026 2027 2026 2026 2027 2026 2027	7/04 9/08 9/08 9/08 7/08 3/07/08 ad ar W W W W W W W W W W W W	
	information and do set-up and circuits External power supply Model ADLX65UAGE2A ADLX65UDGE2A ADLX65ULGE2A ADLX65YLC3E ADLX65YLC3E ADLX65YLC3E	y efficiency (if a Output Voltage 20 V 20 V	on the instrum ical testing pplicable)*: Output Current 3.25 A 3.25 A 3.25 A 3.25 A 3.25 A 3.25 A 3.25 A 3.25 A	Output Power 65 W	Equipment AC Source Power Analyzer Timer Thermometer Hygrometer Average Active Efficiency 91.70% 91.49% 90.15% 91.85% 90.29% 90.00%	Chroma 6 Chroma 6 Chroma 6 AS106A AS106A AS106A I0% Load Efficiency 88.47% 89.13% 86.22% 83.55% 86.22% 86.21% 84.08%	Date 1601 23/00 6205 23/00 6205 23/00 23/00 2023 2023 1 No Los y Powe 0.04 V 0.01 V 0.06 V 0.07 V 0.08 V 0.06 V	7/04 9/08 9/08 9/08 7/08 3/07/08 ad af ar w w w w w w w w w w w w w w w w w w	
	information and do set-up and circuits External power supply Model ADLX65UAGE2A ADLX65UDGE2A ADLX65ULGE2A ADLX65YLC3E ADLX65YLC3E ADLX65YLC3E ADLX65YLC3E	ocumentation of used for electr y efficiency (if a Voltage 20 V 20 V 20 V 20 V 20 V 20 V 20 V 20 V	on the instrum ical testing pplicable)*: Output Current 3.25 A 3.25 A 3.25 A 3.25 A 3.25 A 3.25 A 3.25 A 3.25 A 3.25 A 3.25 A	Output Power 65 W	Equipment AC Source Power Analyzer Timer Thermometer Hygrometer Average Active Efficiency 91.70% 91.09% 91.49% 90.15% 91.85% 90.29% 90.00% 91.26%	Chroma 6 Chroma 6 Chroma 6 AS106A AS106A AS106A I0% Load Efficiency 88.47% 89.13% 86.22% 83.55% 86.70% 86.21% 84.08% 85.72%	Date 1601 23/00 6205 23/00 6205 23/00 23/00 2023 1 No Los y Power 0.04 \ 0.01 \ 0.06 \ 0.07 \ 0.08 \ 0.08 \ 0.06 \]	7/04 9/08 9/08 9/08 7/08 3/07/08 ad an	
	information and do set-up and circuits External power supply Model ADLX65UAGE2A ADLX65UDGE2A ADLX65ULGE2A ADLX65YLC3E ADLX65YLC3E ADLX65YLC3E ADLX65YLC3E ADLX65YCC3E ADLX65YCC2E	Outmentation of used for electr y efficiency (if all Voltage 20 V	on the instrum ical testing pplicable)*: Output Current 3.25 A 3.25 A	Output Power 65 W	Equipment AC Source Power Analyzer Timer Thermometer Hygrometer Average Active Efficiency 91.70% 91.09% 91.49% 90.15% 90.29% 90.00% 91.26% 91.85%	Chroma 6 Chroma 6 Chroma 6 AS106A AS106A AS106A I0% Load Efficiency 88.47% 89.13% 86.22% 83.55% 86.70% 86.21% 84.08% 85.72% 86.70%	Date 1601 23/00 6205 23/00 6205 23/00 23/00 2023 1 No Loc y Powe 0.04 \ 0.01 \ 0.06 \ 0.07 \ 0.08 \ 0.06 \ 0.06 \ 0.06 \ 0.06 \ 0.06 \ 0.06 \ 0.06 \ 0.07 \ 0.06 \ 0.06 \ 0.07 \ 0.06 \ 0.06 \ 0.07 \ 0.07 \ 0.06 \ 0.07 \ 0.07 \ 0.06 \ 0.07 \ 0.07 \ 0.06 \ 0.07 \ 0.07 \ 0.06 \ 0.07	7/04 9/08 9/08 9/08 7/08 3/07/08 ad ad ar w W W W W W W W W W W W W W W W W W W	
1	information and do set-up and circuits External power supply Model ADLX65UAGE2A ADLX65UCGE2A ADLX65ULGE2A ADLX65YLC3E ADLX65YLC3E ADLX65YCC2E ADLX65YLC2E ADLX65YLC2E	Outmentation of used for electr y efficiency (if all Voltage 20 V	on the instrum ical testing pplicable)*: Output Current 3.25 A 3.25 A	Output Power 65 W	Equipment AC Source Power Analyzer Timer Thermometer Hygrometer Average Active Efficiency 91.70% 91.09% 91.49% 90.15% 91.85% 90.29% 90.29%	Chroma 6 Chroma 6 Chroma 6 AS106A AS106A AS106A I0% Load Efficiency 88.47% 89.13% 86.22% 83.55% 86.70% 86.21%	Date 1601 23/00 6205 23/00 6205 23/00 23/00 2023 2024 2025	7/04 9/08 9/08 7/08 3/07/08 ad ar w W W W W W W W W W W W W W W W W W W	
	information and do set-up and circuits External power supply Model ADLX65UAGE2A ADLX65UDGE2A ADLX65ULGE2A ADLX65YLC3E ADLX65YLC3E ADLX65YLC3E ADLX65YLC3E ADLX65YCC3E ADLX65YCC2E	Outmentation of used for electr y efficiency (if all Voltage 20 V	on the instrum ical testing pplicable)*: Output Current 3.25 A 3.25 A	Output Power 65 W	Equipment AC Source Power Analyzer Timer Thermometer Hygrometer Average Active Efficiency 91.70% 91.09% 91.49% 90.15% 90.29% 90.00% 91.26% 91.85%	Chroma 6 Chroma 6 Chroma 6 AS106A AS106A AS106A I0% Load Efficiency 88.47% 89.13% 86.22% 83.55% 86.70% 86.21% 84.08% 85.72% 86.70%	Date 1601 23/00 6205 23/00 6205 23/00 23/00 2023 1 No Loc y Powe 0.04 \ 0.01 \ 0.06 \ 0.07 \ 0.08 \ 0.06 \ 0.06 \ 0.06 \ 0.06 \ 0.06 \ 0.06 \ 0.06 \ 0.07 \ 0.06 \ 0.06 \ 0.07 \ 0.06 \ 0.06 \ 0.07 \ 0.07 \ 0.06 \ 0.07 \ 0.07 \ 0.06 \ 0.07 \ 0.07 \ 0.06 \ 0.07 \ 0.07 \ 0.06 \ 0.07	7/04 9/08 9/08 7/08 3/07/08 ad er W	
	information and do set-up and circuits External power supply Model ADLX65UAGE2A ADLX65UCGE2A ADLX65ULGE2A ADLX65YLC3E ADLX65YLC3E ADLX65YDC3E ADLX65YLC2E ADLX65YLC2E ADLX65YLC2E ADLX65YLC2E	Ocumentation c used for electr y efficiency (if a) Voltage 20 V	on the instrum ical testing pplicable)*: Output Current 3.25 A 3.25 A	Output Power 65 W 65 W	Equipment AC Source Power Analyzer Timer Thermometer Hygrometer Average Active Efficiency 91.70% 91.09% 91.49% 90.15% 91.85% 90.29% 90.00%	Chroma 6 Chroma 6 Chroma 6 AS106A AS106A AS106A I 10% Load Efficiency 88.47% 89.13% 86.22% 83.55% 86.70% 86.21% 86.70% 86.21% 86.21% 84.08%	Date 1601 23/00 6205 23/00 6205 23/00 2023 2023 1 No Lo. y Powe 0.04 V 0.01 V 0.06 V 0.07 V 0.08 V 0.06 V 0.08 V 0.08 V 0.08 V	7/04 9/08 9/08 9/08 7/08 ad ar W	
	information and do set-up and circuits External power supply Model ADLX65UAGE2A ADLX65UCGE2A ADLX65ULGE2A ADLX65YLC3E ADLX65YLC3E ADLX65YDC3E ADLX65YLC2E ADLX65YLC2E ADLX65YLC2E ADLX65YLC2E	Outmentation of used for electr y efficiency (if all Voltage 20 V 20 V	on the instrum ical testing pplicable)*: Output Current 3.25 A 3.25 A	Output Power 65 W 65 W	Equipment AC Source Power Analyzer Timer Thermometer Hygrometer Average Active Efficiency 91.70% 91.09% 91.49% 90.15% 90.29% 90.00% 90.29% 90.00%	Chroma 6 Chroma 6 Chroma 6 AS106A AS106A AS106A I 10% Load Efficiency 88.47% 89.13% 86.22% 83.55% 86.70% 86.21% 86.70% 86.21% 86.21% 84.08%	Date 1601 23/00 6205 23/00 6205 23/00 2023 2023 1 No Lo. y Powe 0.04 V 0.01 V 0.06 V 0.07 V 0.08 V 0.06 V 0.08 V 0.08 V 0.08 V	7/04 9/08 9/08 7/08 3/07/08 ad er W W W W W W W W W W W W W W W W W W	
	information and do set-up and circuits External power supply Model ADLX65UAGE2A ADLX65UCGE2A ADLX65ULGE2A ADLX65YLC3E ADLX65YLC3E ADLX65YDC3E ADLX65YLC2E ADLX65YLC2E ADLX65YLC2E ADLX65YLC2E	Decumentation of used for electr y efficiency (if all Voltage 20 V V	on the instrum ical testing pplicable)*: Output Current 3.25 A 3.25 A	Output Power 65 W 65 W	Equipment AC Source Power Analyzer Timer Thermometer Hygrometer Average Active Efficiency 91.70% 91.09% 91.49% 90.15% 90.29% 90.00% 90.29% 90.00%	Chroma 6 Chroma 6 Chroma 6 AS106A AS106A AS106A I 10% Load Efficiency 88.47% 89.13% 86.22% 83.55% 86.70% 86.21% 86.70% 86.21% 86.21% 84.08%	Date 1601 23/00 6205 23/00 6205 23/00 2023 2023 1 No Lo. y Powe 0.04 V 0.01 V 0.06 V 0.07 V 0.08 V 0.06 V 0.08 V 0.08 V 0.08 V	7/04 9/08 9/08 9/08 7/08 ad ar W	

Ministério do Meio Ambiente Instituto Brasileiro do Meio Ambiente e dos Recursos Naturais Renováveis CADASTROS TÉCNICOS FEDERAIS

CERTIFICADO DE REGULARIDADE - CR

CERTIFICA	DO DE REGULARIDAD	E - CR	54 54 A
Data da consulta:	CR emitido em:		CR válido até:
06/03/2025	06/03/20)25	06/06/2025
		·	
7.275.920/0001-61			
ENOVO TECNOLOGIA (BRASIL	LTDA		
ENOVO TECNOLOGIA (BRASIL	L) LTDA		
3/03/2005			
JOSE COSTA DE MESQUITA			
	Complemento:	MOD 5 A 10	
ARA ALVORADA	Município:	INDAIATUBA	A
200	UF:	SP	
	Data da consulta: 06/03/2025 7.275.920/0001-61 ENOVO TECNOLOGIA (BRASIL	Data da consulta:CR emitido em:06/03/202506/03/207.275.920/0001-6106/03/20ENOVO TECNOLOGIA (BRASIL) LTDA ENOVO TECNOLOGIA (BRASIL) LTDA 3/03/200506/03/20JOSE COSTA DE MESQUITAComplemento: Município:	06/03/2025 06/03/2025 7.275.920/0001-61 ENOVO TECNOLOGIA (BRASIL) LTDA ENOVO TECNOLOGIA (BRASIL) LTDA 3/03/2005 JOSE COSTA DE MESQUITA ARA ALVORADA Complemento: MOD 5 A 10 Município: INDAIATUBA

Cadastro Técnico Federal de Atividades Potencialmente Poluidoras e Utilizadoras de Recursos Ambientais – CTF/APP

Código	Descrição
5-2	Fabricação de material elétrico, eletrônico e equipamentos para telecomunicação e informática

Conforme dados disponíveis na presente data, CERTIFICA-SE que a pessoa jurídica está em conformidade com as obrigações cadastrais e de prestação de informações ambientais sobre as atividades desenvolvidas sob controle e fiscalização do Ibama, por meio do CTF/APP.

O Certificado de Regularidade emitido pelo CTF/APP não desobriga a pessoa inscrita de obter licenças, autorizações, permissões, concessões, alvarás e demais documentos exigíveis por instituições federais, estaduais, distritais ou municipais para o exercício de suas atividades

O Certificado de Regularidade emitido pelo CTF/APP não habilita o transporte e produtos e subprodutos florestais e faunísticos.

Cadastro Técnico Federal de Atividades e Instrumentos de Defesa Ambiental – CTF/AIDA				
Código	Atividade			
0004-00	Gerenciamento de resíduos sólidos não perigosos - Lei nº 12.305/2010			
0005-10	Gerenciamento de resíduos perigosos - geração de resíduos perigosos - Lei nº 12.305/2010			
0005-40	Gerenciamento de resíduos perigosos - armazenamento de resíduos perigosos - Lei nº 12.305/2010			

Conforme dados disponíveis na presente data, CERTIFICA-SE que a pessoa jurídica está em conformidade com as obrigações cadastrais do CTF/AIDA.

A inscrição no Cadastro Técnico Federal de Atividades e Instrumentos de Defesa Ambiental – CTF/AIDA constitui declaração, pela pessoa jurídica, de observância dos padrões técnicos normativos estabelecidos pela Associação Brasileira de Normas Técnicas – ABNT, pelo Instituto Nacional de Metrologia, Qualidade e Tecnologia – INMETRO e pelo Conselho Nacional de Meio Ambiente - CONAMA.

O Certificado de Regularidade emitido pelo CTF/AIDA não desobriga a pessoa inscrita de obter licenças, autorizações, permissões, concessões, alvarás e demais documentos exigíveis por instituições federais, estaduais, distritais ou municipais para o exercício de suas atividades, especialmente os documentos de responsabilidade técnica, qualquer o tipo e conforme regulamentação do respectivo Conselho de Fiscalização Profissional, quando exigíveis.

O Certificado de Regularidade no CTF/AIDA não produz qualquer efeito quanto à qualificação e à habilitação técnica da pessoa

jurídica inscrita.	
Chave de autenticação	ZH3W425PNLD65RJC

DATE: May 17, 2012



SUBJECT: Lenovo's Progress on RoHS

Lenovo is committed to the environment. An important priority for Lenovo was the implementation of RoHS (Restriction of Hazardous Substances) requirements globally. Lenovo has met all the RoHS requirements currently in effect, most well in advance of their implementation dates.

- Lenovo products sold in the European Union and Japan, on or after July 1, 2006, meet the requirements of the European Union Directive 2002/95/EC (RoHS).
- Lenovo products sold in Japan, on or after July 1, 2006, meet the requirements of J-Moss ("Japan RoHS").
- Lenovo products sold in California, on or after January 1, 2007, meet the requirements of "California's RoHS" (SB 20, 50).
- Lenovo products sold in the People's Republic of China, on or after March 1, 2007, meet the requirements of "Management Methods for Control of Pollution from Electronic Information Products" ("China RoHS").
- Lenovo products sold in South-Korea, on or after January 1, 2008, meet the requirements of "South Korea's equivalent of EU RoHS, WEEE and End of Life Vehicle (ELV) Directives" ("South-Korea RoHS").
- Lenovo products sold to the New York City government, on or after March 1, 2007, meet the requirements of the City's environmental preferred purchasing regulations.
- Lenovo products sold in Turkey, on or after June 1, 2009, meet the requirements of the Republic of Turkey Directive on the Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment (EEE) ("Turkey RoHS").
- Lenovo products sold in Ukraine, on or after January 1, 2011, meet the requirements of the Technical Directive on Restriction of Hazardous Substances in Electric and Electronic Equipment enforced by the Government, Decision № 1057 dated 2008/12/03" ("Ukraine TR on RoHS").
- Lenovo products sold in India, on or after May 1, 2012, meet the requirements of the India E-waste (Management and Handling) rules, 2011. ("India RoHS")

Lenovo complies with RoHS requirements in each geography and country in which our products are sold worldwide.

Rob J Taylor - Director of Environmental Affairs, Corporate Quality Programs, Safety and Standards 5A6 / Building 2 1009 Think Place Morrisville, NC 27560 USA



Ref. Certif. No.

DK-149264-UL

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME						
CB TEST CERTIFICATE						
Product	Notebook Computer					
Name and address of the applicant	Lenovo Japan LLC MINATOMIRAI CENTER BLDG 21F 3-6-1 MINATOMIRAI NISHI-KU YOKOHAMA-SHI, Kanagawa, 220-0012 Japan					
Name and address of the manufacturer	Lenovo PC HK Limited 23/F, Lincoln House, Taikoo Place, 979 King's Road, Quarry Bay,Hong Kong, P.R.China					
Name and address of the factory	LCFC (HeFei) Electronics Technology Co., Ltd No. 3188-1 Yungu Road (Comprehensive Bonded Zone), Hefei Economic & Technological Development Area, HEFEI ANHUI 230601,					
Note: When more than one factory, please report on page 2	China					
	☑ Additional Information on page 2 and page 3					
Ratings and principal characteristics	(optional) 20Vdc, 3.25A					
Trademark / Brand (if any)	Lenovo					
Customer's Testing Facility (CTF) Stage used						
Model / Type Ref.	TP00148Dxxxxxxx, ThinkPad E14 Gen 6xxxxxxx, 21M3xxxxxxx, 21M4xxxxxxx ⊠ Additional Information on page 3					
Additional information (if necessary may also be reported on page 2)	Additionally evaluated to: EN IEC 62368-1:2020, EN IEC 62368- 1:2020/A11:2020 National Differences: AU, CA, CN, EU Group Differences, JP, NZ, SA, SG, US Additional Information on page 2					
A sample of the product was tested and found to be in conformity with	IEC 62368-1:2018					
As shown in the Test Report Ref. No. which forms part of this Certificate	E302338-A7135-CB-1 issued on 2024-01-08					
This CB Test Certificate is issued by the Nationa	I Certification Body					
	Solutions (US), 333 Pfingsten Rd IL 60062, Northbrook, USA Solutions (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK Solutions (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN Solutions (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA					
Date: 2024-01-09	Signature: The A Wile Thomas Wilson					



Ref. Certif. No.

DK-149264-UL

	Thomas Wilson
Date: 2024-01-09	Signature:
Solutions	 □ UL Solutions (US), 333 Pfingsten Rd IL 60062, Northbrook, USA ☑ UL Solutions (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK □ UL Solutions (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN □ UL Solutions (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA For full legal entity names see www.ul.com/ncbnames
Additional information (if necessary)	
LENOVO TECNOLOGIA (BRASIL) LTDA Estrada Municipal Jose Costa de Mesquita, 5 a 10, Chacara Alvorada, INDAIATUBA SP Brazil	
Lenovo Centro Tecnologico S de RL de CV Boulevard Escobedo #318 Apodaca Technol CP 66627 APODACA NL, Mexico	logy Park,
Lenovo Centro Tecnologico S de RL de CV Apodaca Technology Park Boulevard Escob Mexico	edo #316 Apodaca, Nuevo Leon, C.P. 66600.
PLANT 2 - SANSEI EVA PERÓN 97 - USHUAIA - NOBLEX S.A, DEL FUEGO, Argentina	TIERRA
LENOVO INFORMATION PRODUCTS (SHE 2F, NO.1 Plant , Lenovo Innovation Park, Lic Shenzhen, Guangdong, China	NZHEN) CO., LTD du Road, Loucun Community, Xinhu Street, Guangming District ,
NEC Personal Computers, Ltd 6-80, Shimohanazawa 2-Chome,Yonezawa- Yamagata 992-8520, Japan	shi,
Lenovo US Fulfillment Center L L C 6540 Franz Warner Parkway Whitsett, NC 23 United States of America	7377,
Lenovo (Shanghai) Electronics Technology (Section 304-305, Building No. 4, # 222, Meiy China (Shanghai) Pilot Free Trade Zone, Sh 200131, China	yue Road,
Factory(ies): Lenovo (India) Private Limited 19/1A & 19/2A, CUDDALORE MAIN ROAD, EDAYARPALAYAM VILLAGE, THAVALAKUI PUDUCHERRY -605007 India	PPAM



DK-149264-UL

MOTOROLA (WUHAN) MOBILITY TECHNO NO.19, Gaoxin 4Th Rd, East Lake High-Teo China	
GUANGXI SANCHUANG TECHNOLOGY C The Second Floor of Plant C01, Plant C02, Beihai Industrial Park, BEIHAI GUANGXI 536000, China	O LTD Plant C03 and Plant D03 Guangxi Sannuo Smart Industrial Park, No.3, Gaoke Road,
Hefei LCFC Electronics Trading Co.,Ltd. The western part of 3rd Floor in Building B, Technological Development Area, Hefei Anl China	Yunhai Road Industrial Park, No. 176,Yun'er Road, Hefei Economic and hui 230601,
Hefei Jingzhuo Photoelectric Co., Ltd. The northern part of 1st Floor and the easte Yun'er Road, Hefei Economic Development China	ern part of 3rd Floor in Building B, Yunhai Road Industrial Park, No. 176, Zone, Hefei Anhui 230601,
Additional Model Detail(s): TP00148Dxxxxxxx, ThinkPad E14 Gen 6xx Z, a to z, any symbol or blank for marketing	xxxxxxx, 21M3xxxxxxx, 21M4xxxxxxx, The "x" in the model name can be 0 to 9, A to use only
Additional information (if necessary)	
Solutions	□ UL Solutions (US), 333 Pfingsten Rd IL 60062, Northbrook, USA ⊠ UL Solutions (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK □ UL Solutions (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN □ UL Solutions (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA
Date: 2024-01-09	For full legal entity names see <u>www.ul.com/ncbnames</u> Signature:
	The I Wil
	Thomas Wilson



Home » Membership

MEMBERSHIP LIST

The UEFI Forum community of members is represented by industry-leading OEMs, IHVs, chip manufactures, BIOS and firmware vendors and operating system vendors.

HP, Inc.

Lenovo

Microsoft

Intel

Insyde Software

Phoenix Technologies

PROMOTERS

AMD	
American Megatrends, Inc.	
Apple Inc.	
ARM Limited	
Dell	
Hewlett Packard Enterprise	

CONTRIBUTORS

Montage Technology
Multilaser Industrial S
Nanjing Byosoft Co., L
NVIDIA
NXP B.V.
Oracle America, Inc.
Positivo Tecnologia S.
Qualcomm Inc.
Realtek Semiconducto
Red Hat, Inc.
Rivos Inc.
Seagate Technology L
SIFIVE, INC.
SUPER MICRO Compu
SUSE LLC
Synaptics (DisplayLin
Tachyum Inc
The Linux Foundation
The MITRE Corporatio
Ventana Micro System
VMware, Inc.
Western Digital Techn
xFusion Digital Techno
Xilinx, Inc.
Zoom Tecnologia Ltda

ustrial S/A oft Co., Ltd. a, Inc. ologia S.A. onductor Corp. nology LLC Computer, Inc. playLink (UK) Limited) ndation rporation Systems Inc. al Technologies Technologies Co., Ltd. gia Ltda.

Q

ADOPTERS

3MD dba Hard Drives NW

3MDEB Embedded Systems Consulting 9elements GmbH A.D. Nieman & Associates, LLC AAEON Technology Inc. ACAS Technologies, Inc. Accusys, Inc. Acer Inc. Adaptec, Inc. ads-tech GmbH Advantech Co., Ltd. AGN Group Suprimentos AGS Sundyne Technologies Pvt. Ltd. Airdesk Ltd. Alcor Micro Corp. Allion Labs, Inc. ALTELL Ltd. AlterSciences **American Arium** AMOI Electronics Co., Ltd. Anna University - College of Engineering Apricorn Arca Noae, LLC Arista Corp. Arquimedes Automacao E Informatica LTDA. **ASSET InterTech, Inc.** AssurAware, Inc. Atlona Inc. **ATTO Technology** AuthenTrend Technology Inc. Authorizer Technologies, Inc. Aver Networks Corp. **Avery Design Systems Avery Design Systmes** Avid Technology, Inc. **Axiom Electronics, LLC** Axiomtek Co., Ltd. Balance Software Corp. **Battelle Memorial Institute, Pacific Northwest Division BCM Advanced Research** BedRock Systems, Inc. Beijing AnHeng SecoTech Information Technology Co., Ltd. **BINARLY Inc. BiTMICRO Networks Inc. Booz Allen Hamilton Brown's Operating System Services Limited BSQUARE** Corporation CalDigit, Inc. Calxeda, Inc. Canon Inc. Captec Ltd. **Centerm Information Co., Ltd.** CenterTools Software GmbH **Central South University Check Point Software Chelsio Communications, Inc.** China Greatwall Computer Shenzhen Co., Ltd. **CHUNGHSIN INDUSTRY GROUP** CircleSoft LLC Circuitco **Cisc Systems Computer Task Group Concurrent Technologies Plc** congatec A.G. conpal GmbH coresystems GmbH **Courtyard Electronics Ltd.** Cray, Inc. **CrossInfo Architects Cryptomill Technologies Ltd.** CSWL, Inc. Dawning Information Industry (Beijing) Corp., Ltd. (Sugon) Def-Logix, Inc. **Denali Software** DeviceVM, Inc. Diablo Technologies, Inc. Dialogue Technology Corp. **Diskeeper Corporation Dot Hill** Eclypsium, Inc Egis Technology Inc. Elite Group Computer Systems Co., Ltd. EliteBytes Limited Eltan B.V. **Embedded Now, Inc Embedded Research Solutions** emBoot Inc. **Emerson Network Power, Embedded Computing** EMUTEX LTD. Enmotus, Inc. **EPEAK Studio Ltd. Etegro Technologies** Eurosoft (UK) Ltd. EVOC **ExpressLuck Industrial Ltd. Extreme Engineering Solutions, Inc.** F5 Networks, Inc. Fastwel Group Co., Ltd. Federal University of Ceara, Brazil Fermilab FernUniversität in Hagen FirmTek, LLC Flextronics Instituto de Tecnologia focian Computer Founder Technology Group Corp. Framework Computer LLC Freescale Semiconductor, Inc. Fujitsu Ltd. **Gemalto SA General Dynamics Canada** Genesi USA Inc. Gigabyte United Inc. GIT Japan Inc. **Glacier Peak Technology, LLC** Grain Media, Inc. **Greencroft Code** Guidance Software, Inc. HighPoint Technologies, Inc. Hitachi, Ltd. **Houter Brasil Eireli HTC Corporation** Hunan New Cloudnet Technology Co., Ltd. **HXT Semitech** IATECAM

Jetway Information Security Industry Co., Ltd. KingTrust Systems Ltd. **Kioxia Corporation Konsulko Group** Kontron Embedded Modules GmbH **Kraftway Corporation PLC** Kuhrman Technology Solutions LLC LCC Rubinteh LCFC LG Electronics Lockheed Martin Corporation **Lontium Semiconductor Corporation** LucidLogix Matrixed Reality Technology Co., Ltd. Matrox Graphics Inc. MBDA UK Ltd. MBM Tecnologia e Industria de Informatica LTDA MediaTek Inc. MediCapture, Inc. Mensys B.V. **Mercury Computer Systems** Micro-Star Int'l Co., Ltd **Microchip Technology** Micron Technology, Inc. **Microsemi Corporation** Mitrastar Technology Corp. **MokaFive Mossbit Technologies** Myricom, Inc. **National Instruments Corporation National Technical Systems Naval Postgraduate School NEC Personal Products Ltd.** Neterion, Inc. Netlist Inc. Network 2000 Inc. NetXen Inc. Neusoft New H3C Technologies Co., Ltd. Newport Enterprises Inc. Nextiva NOLO Co., Ltd. **NTI Corporation** NVELO, Inc. **OpenMars Development LLC Order N Development, LLC Orion Technologies, LLC OSBASE, LLC Panasonic Corporation Parallels IP Holdings GmbH Pegatron Corporation** Peppercon AG **PGP Corporation PixelNext Inc.** PLX Technology, Inc. **Portlock** PQURE Technology AB Proformatique **Quanta Computer Inc. Radisys Corporation** Red Flag Software Co., Ltd. **Renesas Electronics Corporation RPA RusBITech** rubbersoft.com **Ruijie Networks Sage-Microelectronics** Samsung Electronics Co., Ltd. **Sandia National Laboratories SanDisk Corporation** Sanmina Corporation d/b/a Viking Technology SDL Eletro Eletronica Ltda - EPP SecurStar GmbH SEMP TOSHIBA INFORMATICA LTDA Sensics, Inc. ServerEngines Corp. Shanghai Advanced Research Institute Shanghai IP3 Technology Co., Ltd. Silicon Image, Inc. Silicon Integrated Systems Corp. SinoSun Technology, Ltd. SoftIron, Inc. softKVM LLC **Solarflare Communications Inc.** Sony Corporation **Spirent Communications** Sprezzatech SSWW STEC, Inc. **Stonewood Electronics Ltd. Stream Labs** Super Future Equities, Inc. SYBERA GmbH **Symantec Corporation System Fabric Works** System Garden Ltd. TCORP Terascala, Inc. Themis Computer, Inc. **TimeLab Corporation Tokyo Electron Device Ltd. Toshiba Samsung Storage Technology Korea Corporation** Trend Micro Tsinghua Tongfang Co., Ltd. Tuxera Inc. TYA **Ubiquitous AI Corporation** ULINK Technology, Inc. **UNH InterOperability Laboratory** Unicompute Technology Co., Ltd UniFabriX Ltd. **Unisys Corporation University of California, Davis** UPEK, Inc. US Technology Resources (M) SDN. BHD. V&G Information System Co., Ltd. **VAIO Corporation Validity Sensors** Venetex Corp Vestel Dijital Yretim Sanayi A. S. VIA Alliance Semiconductor Co., Ltd. VIA Technologies, Inc. **VNPT Technology VT Miltope** Wacom Technology Wave Systems Corp. WinMagic Inc. Winsiders Seminars & Solutions, Inc. WinSystems, Inc. **Wiwynn Corporation Wuhan University** Wyse Technology XGI Technology Inc. Xi'an Saming Technology Co., Ltd. Xi3 Corporation **Xitrix Computer Corporation Xsense Connectivity Inc.** Zhejiang Dahua Technology Co., Ltd. **ZNYX Networks**

ICP Electronics, Inc. InfoTeCS Infrant Technologies, Inc. Inphi Corp. Institute of Physics, Academia Sinica Integrated Device Technology Inc. Intellico, LLC Intelligency Intelligraphics, Inc. **Inventec Corporation** Inventec Electronic (Tianjin) Co., Ltd. IRCONA **ISP RAS ITSC Library** Japan Digital Laboratory Co., Ltd.

INDIVIDUAL ADOPTERS

Alex Kunovszky **Barry Gian James Benson Lin** Cheng-Lung Chang **Connor Horman** Connor Wood David Boyd Dharmesh Tarapore Don MacKellar Ed Brundage Elika S. Kohen Gail B. Keown George Fulk **Gregory Havenga** Howard Peng Ing-chao Lin Jake Lehotsky **James Bottomley Jason Christopher Stone** Jeong Kim John A. Newton John Blacker John M. Hare Jonathan J. Willemin Joseph LeGarreta Juan Pablo Black Romero Justin Loo

Karl O. Van Leuven IV **Kushal Koolwal** Lee Fisher Liqiang Ni Lucien Pullen Marvin Häuser Michael Johnston Michael Zimmermann Patrick J. Kennedy Paulo Henrique L. Amorim **Pete Batard** Phooen Sonpooshi Piryanshu Pareek **Priyanshu Pareek Robert Jandacek Robert Johnston Rocky Wang Roger Bertoldi Roger Thompson** Seppe Sol Shannon Lewis Shawn M. Pedersen VALETTE Teddy Wang Qiang William J. Biessman Xie Tianming (Persmule) ZongQi Li


* temporarily suspended

Justin Sligh

FIND US ON...

🔝 🛅 💟 🕨 🔤

OVERVIEW



1. USB-A (USB 5Gbps)	5. USB-C (USB 10Gbps), with USB PD 3.0 & DP 1.4
2. Ethernet (RJ-45)	6. USB-A (USB 10Gbps), Always On
3. Kensington Nano Security Slot	7. HDMI
4. USB-C (USB 5Gbps), with USB PD 3.0 & DP 1.4	8. Headphone / microphone combo jack (3.5mm)

PERFORMANCE

Processor

Processor Family

AMD Ryzen[™] 3 / 5 / 7 Processor

Processor**

Processor Name	Cores	Threads	Base Frequency	Max Frequency	Cache	Processor Graphics
AMD Ryzen™ 3 7335U	4	8	3.0GHz	4.3GHz	2MB L2 / 8MB L3	AMD Radeon™ 660M
AMD Ryzen™ 5 7535HS	6	12	3.3GHz	4.55GHz	3MB L2 / 16MB L3	AMD Radeon™ 660M
AMD Ryzen™ 5 7535U	6	12	2.9GHz	4.55GHz	3MB L2 / 16MB L3	AMD Radeon™ 660M
AMD Ryzen [™] 7 7735HS	8	16	3.2GHz	4.75GHz	4MB L2 / 16MB L3	AMD Radeon™ 680M
AMD Ryzen™ 7 7735U	8	16	2.7GHz	4.75GHz	4MB L2 / 16MB L3	AMD Radeon™ 680M

Operating System

Operating System**

- Windows[®] 11 Pro
- Windows® 11 Home
- Windows® 11 Home Single Language
- No preload operating system

Graphics

Graphics**

Graphics	Туре	Memory	TGP	Key Features
AMD Radeon™ 660M	Integrated	Shared	Share CPU TDP	DirectX® 12
AMD Radeon™ 680M	Integrated	Shared	Share CPU TDP	DirectX® 12

Monitor Support

Monitor Support

Supports up to 4 independent displays (native display and 3 external monitors via HDMI® and USB-C®)

- HDMI $^{\!\!\rm s}$ supports up to 4K@60Hz

- \bullet USB-C° (USB 10Gbps) supports up to 5K@60Hz
- USB-C* (USB 5Gbps) supports up to 4K@60Hz

Chipset

Chipset

AMD SoC (System on Chip) platform

Memory

Max Memory^[1]

Up to 64GB DDR5-4800

Memory Slots

Two DDR5 SO-DIMM slots, dual-channel capable

Memory Type

DDR5-4800

Notes:

[1] Maximum memory is only to test technical readiness of notebook but not shipped by Lenovo®.

Storage

Storage Support^[1]

Up to two drives, 2x M.2 SSD • M.2 2242 SSD up to 1TB

• M.2 2280 SSD up to 1TB

Storage Slot

- Two M.2 slots
- One M.2 2242 PCIe[®] 4.0 x4 slot
- One M.2 2280 PCIe[®] 4.0 x4 slot

Storage Type***

Disk Type	Interface	Offering	Security
M.2 2242 SSD	PCIe® NVMe®, PCIe® 4.0 x4	256GB / 512GB / 1TB	Opal 2.0
M.2 2280 SSD	PCIe® NVMe®, PCIe® 4.0 x4	1TB	Opal 2.0

Notes:

[1] The system supports dual SSD via two M.2 slots, but Lenovo® only offers one M.2 2242 SSD configuration and M.2 2280 slot for user self-extension.

Removable Storage

Card Reader

No card reader

Multi-Media

Audio Chip

High Definition (HD) Audio, Senary SN6141 codec

Speakers

Stereo speakers, 2W x2, Dolby Atmos®, audio by HARMAN

Microphone

Dual-microphone array with smart noise-cancelling

Camera**

- FHD 1080p + IR hybrid, with privacy shutter, fixed focus, temporal noise reduction
- FHD 1080p, with privacy shutter, fixed focus, temporal noise reduction
- HD 720p, with privacy shutter, fixed focus

Battery

Battery**[1]

- Integrated Li-Polymer 47Wh battery, supports Rapid Charge Pro (charge up to 50% in 30min)
- Integrated Li-Polymer 57Wh battery, supports Rapid Charge (charge up to 80% in 1hr)

Battery Life^[2]

Configuration 1 (max battery life) MobileMark® 25: up to 13.5 hr with 588 performance score @250nits JEITA 3.0 (Video/Idle): up to 11.76 hr / 21.8 hr @200nits Local video playback: up to 19.59 hr @150nits

Alternate configuration 2 MobileMark® 25: up to 13.08 hr with 604 performance score @250nits JEITA 3.0 (Video/Idle): up to 11.75 hr / 20.1 hr @200nits Local video playback: up to 18.84 hr @150nits

Alternate configuration 3 MobileMark® 25: up to 10.1 hr with 667 performance score @250nits JEITA 3.0 (Video/Idle): up to 8.4 hr / 16.3 hr @200nits Local video playback: up to 14.65 hr @150nits

Notes:

[1] Rapid charge is only guaranteed when the computer is turned off or in standby mode or in hibernation mode. When the computer is powered on, the Charge Time will vary depending on system power consumption and AC adapter power.
 [2] Configuration 1 (max battery life): WUXGA (non-touch), AMD Ryzen™ 7 7735HS, 8GB DDR5, Win 11, 57Wh battery, best

power efficiency power mode Alternate configuration 2: WUXGA (non-touch), AMD Ryzen™ 7735U, 8GB DDR5, Win 11, 57Wh battery, best power

Alternate configuration 2: WUXGA (non-touch), AMD Ryzen™ 7735U, 8GB DDR5, Win 11, 57Wh battery, best power efficiency power mode

Alternate configuration 3: WUXGA (touch), AMD Ryzen™ 5 7535U, 8GB+8GB DDR5, Win 11, 47Wh battery, best power

Lenovo

efficiency power mode

All battery life claims are approximate maximum and based on results using <u>MobileMark® 25</u>, JEITA 3.0, continuous 1080p local video playback (using default Media Player in Fullscreen mode with 150nits brightness and default volume level), or Google Power Load Test (PLT) battery-life benchmark tests.

Actual battery life will vary depending on many factors such as product configuration, software, wireless functionality, power management settings, and screen brightness.

The maximum capacity of the battery will decrease with time, ambient temperature and use.

Refer to Microsoft[®] link for more information about the Windows[®] Performance power slider.

Power Adapter

Power Adapter**[1]

- 65W USB-C[®] (2-pin) AC adapter, supports PD 3.0, 100-240V, 50-60Hz
- 65W USB-C[®] (3-pin) AC adapter, supports PD 3.0, 100-240V, 50-60Hz
- No power adapter^[2]

Notes:

[1] AC adapter offerings depend on the country.

[2] No power adapter is for special bid only.

DESIGN

Display

Display**

Size	Resolution	Touch	Туре	Brightness	Surface	Aspect Ratio	Contrast Ratio	Color Gamut	Refresh Rate	Viewing Angle (L/R/U/D)	Key Features
14″	WUXGA (1920x1200)	None	IPS ^[1]	300nits	Anti- glare	16:10	800:1	45% NTSC	60Hz	85° / 85° / 85° / 85°	TÜV Low Blue Light (Software)
14″	WUXGA (1920x1200)	Multi- touch	IPS ^[2]	300nits	Anti- glare	16:10	800:1	45% NTSC	60Hz	85° / 85° / 85° / 85°	TÜV Low Blue Light (Software)
14″	2.2K (2240x1400)	None	IPS ^[3]	300nits	Anti- glare	16:10	1500:1	100% sRGB	60Hz	85° / 85° / 85° / 85°	Eyesafe® Certified 2.0

Touchscreen

• Non-touch

Notes:

[1], [2], [3] IPS (in-plane switching) technology may refer to IPS, PLS, ADS, AHVA, AAS.

Input Device

Pen

No support

Keyboard

6-row, spill-resistant, multimedia Fn keys, Copilot key

Keyboard Backlight

- LED backlight
- Non-backlight

UltraNav™

TrackPoint® pointing device, double-tap to open the TrackPoint® Quick Menu Mylar® surface multi-touch touchpad, 56 x 115 mm (2.24 x 4.53 inches)

Mechanical

Dimensions (WxDxH)^[1]

[•] On-cell multi-touch, supports 10-point touch

Lenovo

Models	Dimensions
Models with aluminium (top) and aluminium (bottom)	313 x 219.3 x 17.99 mm (12.32 x 8.63 x 0.71 inches)
Models with aluminium (top) and PC-ABS (bottom)	313 x 219.3 x 18.59 mm (12.32 x 8.63 x 0.73 inches)

Weight^[2]

Models	Weight
Models with aluminium (top) and aluminium (bottom)	Starting at 1.44 kg (3.17 lbs)
Models with aluminium (top) and PC-ABS (bottom)	Starting at 1.42 kg (3.14 lbs)

Case Color**

- Black
- Grey

Case Material**

- Aluminium (top), PC-ABS (bottom)
- Aluminium (top), aluminium (bottom)

Notes:

[1] The system dimensions may vary depending on configurations.

[2] The system weight is approximate and based on results in Lenovo[®] lab, which varies depending on the source of component, variance of the distribution of each component, and manufacturing process. It may not be the exact weight for each specific model.

CONNECTIVITY

Network

Ethernet

Gigabit Ethernet, Realtek® RTL8111H-CG, 1x RJ-45, supports Wake-on-LAN

WLAN + Bluetooth®**[1]

- Wi-Fi[®] 6, 802.11ax 2x2 Wi-Fi[®] + Bluetooth[®] 5.3, M.2 card
- MediaTek Wi-Fi[®] 6 MT7921, 802.11ax 2x2 Wi-Fi[®] + Bluetooth[®] 5.3, M.2 Card
- Realtek® Wi-Fi® 6 RTL8852BE, 802.11ax Dual Band 2x2 Wi-Fi® + Bluetooth® 5.3, M.2 card
- Wi-Fi[®] 6E, 802.11ax 2x2 Wi-Fi[®] + Bluetooth[®] 5.3, M.2 card^[2]
- Realtek® Wi-Fi® 6E RTL8852CE, 802.11ax Dual Band 2x2 Wi-Fi® + Bluetooth® 5.3, M.2 card[3]

WWAN

No support

SIM Card

No physical SIM card inbox

NFC

No support

Notes:

[1] Bluetooth® may operate at a lower version than hardware design depending on the factors such as operating system, driver, etc.

[2], [3] Wi-Fi[®] 6E full features might be limited by country-level restrictions.

6GHz Wi-Fi® 6E operation is dependent on the support of the operating system, routers/APs/Gateways that support Wi-Fi® 6E, and the regional regulatory certifications & spectrum allocation.

Bluetooth[®] 5.3 operation requires Windows[®] 11. For more information please visit <u>General Bluetooth[®] Support Information</u> <u>on Microsoft[®]</u>.

Ports^{III}

Standard Ports

- 1x USB-A (USB 5Gbps / USB 3.2 Gen 1)
- 1x USB-A (USB 10Gbps / USB 3.2 Gen 2), Always On
- 1x USB-C[®] (USB 5Gbps / USB 3.2 Gen 1), with USB PD 3.0 and DisplayPort[™] 1.4
- 1x USB-C[®] (USB 10Gbps / USB 3.2 Gen 2), with USB PD 3.0 and DisplayPort[™] 1.4
- 1x HDMI[®] 2.1, up to 4K/60Hz

- 1x Headphone / microphone combo jack (3.5mm)
- 1x Ethernet (RJ-45)

Notes:

[1] The transfer speed of the ports will vary and, depending on many factors, such as the processing speed of the host device, file attributes and other factors related to system configuration and your operating environment, will be slower than theoretical speed.

Docking

Docking

Various docking solutions supported via USB-C[®]. For more compatible docking solutions, please visit <u>Docking for ThinkPad[®] E14 Gen 6 (AMD)</u>

SECURITY & PRIVACY

Security

Security Chip**

- Discrete TPM 2.0, TCG certified, FIPS 140-2 certified
- Discrete TPM 2.0 (TCG certified, FIPS 140-2 certified) and Microsoft® Pluton TPM 2.0, one enabled at one time

Physical Locks

Kensington[®] Nano Security Slot[™], 2.5 x 6 mm

Smart Card Reader

No smart card reader

Fingerprint Reader

- Touch style fingerprint reader integrated in power button, match-on-chip
- No fingerprint reader

BIOS Security

- NVMe[®] password
- Power-on password
- Supervisor password
- System management password
- Certificate based BIOS authentication
- FIDO (Fast Identity Online) authentication
- Self-healing BIOS
- More BIOS security features, please visit <u>BIOS Simulator</u>

Other Security

- Camera privacy shutter
- (Optional) IR camera for Windows® Hello (facial recognition)

MANAGEABILITY

System Management

System Management

Non-DASH

SERVICE

Warranty

Base Warranty**

- 1-year mail-in service
- 1-year courier or carry-in service
- 1-year courier or carry-in with 2-year system board service (Korea only)
- 1-year limited onsite service
- No base warranty

ACCESSORIES

Bundled Accessories

Bundled Accessories^[1]

None

Notes:

[1] For more compatible accessory solutions, please visit Accessories for ThinkPad® E14 Gen 6 (AMD).

OPERATING REQUIREMENTS

Operating Environment

Temperature^[1]

- Operating: 5°C (41°F) to 35°C (95°F)
- Storage and transportation in original shipping package: -20°C (-4°F) to 60°C (140°F)
- Storage without package: 5°C (41°F) to 43°C (109°F)

Relative Humidity

- Operating: 8% to 95% at wet-bulb temperature 23°C (73°F)
- Storage and transportation: 5% to 95% at wet-bulb temperature 27°C (81°F)

Altitude

Maximum altitude (without pressurization): 3048 m (10,000 ft)

Notes:

[1] When you charge the battery, its temperature must be no lower than 10°C (50°F).

ENVIRONMENTAL

Sustainability

Material^[1]

25% PCC recycled plastic used in the battery pack enclosure 30% PCC recycled plastic used in speaker enclosure 90% PCC recycled plastic used in standard 65W adapter Plastic free packaging Dry-pressed bamboo & sugarcane fiber Cushions FSC Certified paper in packaging

Notes:

[1] PCC: Post Consumer Content, recycled materials from customers.

CERTIFICATIONS

Green Certifications^{III}

Green Certifications^[2]

- ENERGY STAR[®] 8.0
- EPEAT[™] Gold Registered^[3]
- ErP Lot 6/26
- RoHS compliant
- TCO Certified 9.0

Notes:

[1] The items listed under the "Green Certifications" section may not only refer to certification but also registration or self-declaration. For ESG & regulatory compliance documents, please visit <u>https://compliance.lenovo.com</u>.

[2] EPEAT[™] registration and ENERGY STAR[®] certification are optional and only available on the models with preloaded OS. Please visit <u>epeat.net</u> and <u>energystar.gov</u> for more information.

[3] EPEAT[™] is registered where applicable, please visit <u>epeat.net</u> for registration status by country.

Other Certifications

Mil-Spec Test

MIL-STD-810H military test passed

Other Certifications

- (Optional) Eyesafe[®] Certified 2.0
- (Optional) TÜV Rheinland® Low Blue Light (Hardware Solution)
- (Optional) TÜV Rheinland[®] Low Blue Light (Software Solution)
- Feature with ** means that only one option listed under the feature can be configured on selected models. Please refer to the model configuration for specific information.
- Feature with *** means that one or more options listed under the feature can be configured on selected models. Please refer to the model configuration for specific information.
- Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors. LENOVO PROVIDES THIS PUBLICATION "AS IS," WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow disclaimer of express or implied warranties in certain transactions, therefore this disclaimer may not apply to you.
- The specifications on this page may not be available in all regions, and may be changed or updated without notice.

